## \*\*\*\*\* CONFIDENTIAL \*\*\*\*\*

# \*\*\*\*\* PREDECISIONAL DOCUMENT \*\*\*\*\*





## \*\*\*\*\* FOR COMPUTING PROJECTED HRS SCORE \*\*\*\*\*

\*\*\*\*\* Do Not Cite or Quote \*\*\*\*\*

Site Name: Celia's Laundry

City, County:

San Juan

Evaluator: Miriam Ortiz

EPA ID #: PR00002196368

Date:

2/17/05

Lat/Long:

18.4200 N

66.0630 W

T/R/S:

**Congressional District:** 

This Scoresheet is for a:

SI

	S pathway	2 S pathway
Groundwater Migration Pathway Score (Sgw)	100.00	10,000.00
Surface Water Migration Pathway Score (Ssw)	0.00	0.00
Soil Exposure Pathway Score (Ss)	0.70	0.49
Air Migration Score (Sa)		
2 2 2 2 Sgw + Ssw + Ss + Sa	A programme of the control of the co	0,000.49
$(Sgw + Ssw + Ss + Sa^{2}) / 4$	The state of the s	2,500.12
$\sqrt{(S_{gw}^2 + S_{sw}^2 + S_{a}^2)/4}$		50.00

<sup>\*</sup> Pathways not assigned a score (explain):

\*\*\*\*\* Do Not Cite or Quote \*\*\*\*\*

# **GROUNDWATER MIGRATION PATHWAY SCORESHEET**

Aquifer Evaluated:

Factor Categories and Factors Likelihood of Release to an Aquifer:	Maximum Value	Value Assigned
Observed Release     Potential to Release	550	550.00
2a. Containment	10	10.00
2b. Net Precipitation	10	10.00
2c. Depth to Aquifer	5	5.00
2d. Travel Time	35	35.00
2e. Potential to Release [Lines 2a x (2b + 2c +2d)]	500	500.00
3. Likelihood of Release [Higher of Lines 1 or 2e]	550	550.00
Waste Characteristics:		
4. Toxicity/Mobility	(a)	0.20
5. Hazardous Waste Quantity	(a)	100.00
6. Waste Characteristics [Lines 4 x 5, then use Table 2-7]	100	2.00
Targets		
7. Nearest Well 8. Population	50	45.00
8a. Level I Concentrations	(b)	0.00
8b. Level II Concentrations	(b)	1,580,000.00
8c. Potential Contamination	(b)	29,400.00
8d. Population [Lines 8a + 8b + 8c]	(b)	1,609,400.00
9. Resources	5	0.00
10. Wellhead Protection Area	20	0.00
11. Targets [Lines 7 + 8d + 9 +10]	(b)	1,609,445.00
Ground Water Migration Score for an Aquifer:		
12. Aquifer Score [(Lines 3 x 6 x 11)/82,500]	100	100.00
Groundwater Migration Pathway Score		
13. Pathway Score (Sgw)	C	
[Highest value from Line 12 for all aquifers evaluated]	100	100.00

a Maximum value applies to waste characteristics category.

\*\*\*\*\* Do Not Cite or Quote \*\*\*\*\*

b Maximum value not applicable.

c Do not round to the nearest integer.

d Use additional tables.

#### SURFACE WATER OVERLAND/FLOOD MIGRATION COMPONENT SCORESHEET

Watershed Evaluated:

Watershed Evaluated:		
Factor categories and factors	Maximum Value	Value Assigned
Drinking Water Threat		
Likelihood of Release:		
1. Observed Release	550	0.00
2. Potential to Release by Overland Flow:		5.55
2a. Containment	10	10.00
2b. Runoff	25	15.00
2c. Distance to Surface Water	25	6.00
2d. Potential to Release by Overland Flow (lines 2a[2b+2c])	500	210.00
3. Potential to Release by Flood:	000	2.0.00
3a. Containment (Flood)	10	10.00
3b. Flood Frequency	50	7.00
3c. Potential to Release by Flood (lines 3a x 3b)	500	70.00
4. Potential to Release (lines 2d+3c, subject to a maximum of 500)	500	280.00
5. Likelihood of Release (higher of lines 1 and 4)	550	280.00
Waste Characteristics:	330	200.00
6. Toxicity/Persistence	(a)	10,000.00
7. Hazardous Waste Quantity	(a)	10.00
8. Waste Characteristics	100	18.00
	100	10.00
Targets: 9. Nearest Intake	50	0.00
10. Population	30	0.00
10a, Level I Concentrations	(b)	0.00
	(b)	
10b. Level II Concentrations	(b)	0.00
10c. Potential Contamination	(b)	0.00
10d. Population (lines 10a+10b+10c)	(p)	0.00
11. Resources	5	0.00
12. Targets (lines 9+10d+11)	(b)	0.00
Drinking Water Threat Score:	400	
13. Drinking Water Threat Score ([lines 5x8x12]/82,500, subject to a maximum of 100)	100	0.00
Human Food Chain Threat		
Likelihood of Release:		
14. Likelihood of Release (same value as line 5)	550	280.00
Waste Characteristics:	555	200.00
15. Toxicity/Persistence/Bioaccumulation	(a)	200,000,000.00
16. Hazardous Waste Quantity	(a)	10.00
17. Waste Characteristics	1,000	180.00
	1,000	180.00
Targets:	50	0.00
18. Food Chain Individual	50	0.00
19. Population	(I-)	2.22
19a. Level I Concentrations	(b)	0.00
19b. Level II Concentrations	(b)	0.00
19c. Potential Human Food Chain Contamination	(b)	0.00
19d. Population (lines 19a+19b+19c)	(b)	0.00
20. Targets (lines 18+19d)	(b)	0.00
Human Food Chain Threat Score:	•	
21. Human Food Chain Threat Score ([lines 14x17x20]/82,500, subject to a maximum of	100	0.00
Environmental Threa		
Likelihood of Release: 22. Likelihood of Release (same value as line 5)	550	280.00
· · · · · · · · · · · · · · · · · · ·	550	280.00
Waste Characteristics: 23. Ecosystem Toxicity/Persistence/Bioaccumulation	(a)	300 000 000 00
	(a)	200,000,000.00
24. Hazardous Waste Quantity	(a)	10.00
25. Waste Characteristics	1,000	180.00
Targets:		
26. Sensitive Environments		
26a. Level I Concentrations	(b)	0.00
26b. Level II Concentrations	(b)	0.00
26c. Potential Contamination	(b)	0.00
26d. Sensitive Environments (lines 26a+26b+26c)	(b)	0.00
27. Targets (value from line 26d)	(b)	0.00
Environmental Threat Score:		
28. Environmental Threat Score ([lines 22x25x270/82,500, subject to a maximum of 60)	60	0.00
. , , , , , , , , , , , , , , , , , , ,		
Surface Water Overland/Flood Migration Component Score fo	r a Watershed	
29. Watershed Score (c) (lines 13+21+28, subject to a maximum of 100)	100	0.00
23. VValetatied Score (c) (times 10.21.20, subject to a maximum of 100)	100	0.00
A 184 / A 184	_	
Surface Water Overland/Flood Migration Component	Score	0.00
30. Component Score (Sof)(c) (highest score from line 29 for all watersheds evaluated, subject to	a maximum of 100)	0.00

a Maximum value applies to waste characteristics category. b Maximum value not applicable. c Do not round to nearest integer.

## **GROUND WATER TO SURFACE WATER MIGRATION COMPONENT SCORESHEET**

Watershed Evaluated: Factor categories and factors Maximum Value Value Assigned **Drinking Water** Likelihood of Release to Accader: 550.00 Observed Release 550 2. Potential to Release: 2a. Containment 10 10.00 2b. Net Precipitation 10 10.00 2c. Depth to Aquifer 5 5.00 35 2d. Travel Time 35.00 2e. Potential to Release (lines 2a[2b+2c+2d]) 500 500.00 3. Likelihood of Release (higher of lines 1 and 2e) 550.00 550 **Waste Characteristics:** 4. Toxicity/Mobility/Persistence 0.20 (a) 5. Hazardous Waste Quantity 100.00 (a) 6. Waste Characteristics 100 2.00 Targets: 50 0.00 7. Nearest Intake 8. Population 8a. Level I Concentrations (b) 0.00 8b. Level II Concentrations 0.00 (b) 0.00 8c. Potential Contamination (b) 8d. Population (lines 8a+8b+8c) (b) 0.00 9. Resources 5 0.00 10. Targets (lines 7+8d+9) (b) 0.00 **Drinking Water Threat Score:** 11. Drinking Water Threat Score ([lines 3x6x10]/82,500, subject to a maximum of 100) 0.00 100 **Human Food Chain Threat** Likelihood of Release: 12. Likelihood of Release (same value as line 3) 550 550.00 Waste Characteristics: 13. Toxicity/Mobility/Persistence/Bioaccumulation 1.000.00 (a) 14. Hazardous Waste Quantity 100.00 (a) 1,000 15. Waste Characteristics 18.00 Targets: 16. Food Chain Individual 50 0.00 17. Population 17a. Level I Concentrations 0.00 (b) 17b. Level II Concentrations (b) 0.00 17c. Potential Human Food Chain Contamination 0.00 (b) 0.00 17d. Population (lines 17a+17b+17c) (b) 0.00 18. Targets (lines 16+17d) (b) **Human Food Chain Threat Score:** 19. Human Food Chain Threat Score ([lines 12x15x18]/82,500, subject to a maximum of 100) 100 0.00 Environmental Likelihood of Release: Threat 20. Likelihood of Release (same value as line 3) 550 550.00 **Waste Characteristics:** 21. Ecosystem Toxicity/Mobility/Persistence/Bioaccumulation 100.00 ·(a) 22. Hazardous Waste Quantity (a) 100.00 10.00 1,000 23. Waste Characteristics Targets: 24. Sensitive Environments 24a. Level I Concentrations (b) 0.00 (b) 0.00 24b. Level II Concentrations 24c. Potential Contamination (b) 0.00 24d. Sensitive Environments (lines 24a+24b+24c) (b) 0.00 25. Targets (value from line 24d) (b) 0.00 **Environmental Threat Score:** 0.00 26. Environmental Threat Score ([lines 20x23x25/82,500, subject to a maximum of 60) Ground Water to Surface Water Migration Component Score for a Watershed 27. Watershed Score (c) (lines 11+19+26, subject to a maximum of 100) 0.00 **Ground Water to Surface Water Migration Component Score** 28. Component Score (Sgs)(c) (highest score from line 27 for all watersheds evaluated, subject to a maximum of 100) 0.00

a Maximum value applies to waste characteristics category.

b Maximum value not applicable.

c Do not round to nearest integer.

### SOIL EXPOSURE PATHWAY SCORESHEET

Factor Categories and Factors	Maximum Value	Value Assigned			
Resident Population Threat					
Likelihood of Exposure					
Likelihood of Exposure	550	550			
Waste Characteristics		40.000.00			
2. Toxicity	(a)	10,000.00			
Hazardous Waste Quantity     Waste Characteristics	(a) 100	10.00 18.00			
4. Waste Characteristics	100	10.00			
Targets	50	•			
5. Resident Individual	50	0			
Resident Population     6a. Level I Concentrations	(b)	0.00			
6b. Level II Concentrations	(b)	0.00			
6c. Resident Population [Lines 6a + 6b]	(b)	0.00			
7. Workers	15	5			
8. Resources	5	0			
9. Terrestrial Sensitive Environments	(c)	0			
10.Targets [Lines 5 + 6c + 7 + 8 + 9]	(b)	5.00			
Resident Population Threat Score					
11.Resident Population Threat [Lines 1 x 4 x 10]	(b)	49,500.00			
Nearby Population	Threat				
Hoursy i opaiason	Tillout				
Likelihood of Exposure	400	E			
12. Attractiveness/Accessibility	100 100	5 5			
13. Area of Contamination 14. Likelihood of Exposure	500	5			
14. Likelihood of Exposure	000	· ·			
Waste Characteristics	( )	40.000.00			
15. Toxicity	(a)	10,000.00			
16. Hazardous Waste Quantity 17. Waste Characteristics	(a) 100	10.00 18.00			
77. Waste Characteristics	100	10.00			
Targets					
18. Nearby Individual	1	1			
19. Population Within 1 Mile	(b)	94.00			
20. Targets [Lines 18 + 19]	(b)	95.00			
Nearby Population Threat Score					
21. Nearby Population Threat [Lines 14 x 17 x 20]	(b)	8,550.00			
Soil Exposure Bathway Score					
Soil Exposure Pathway Score d  22. Soil Exposure Pathway Score (Ss)	100	0.70			
[Lines (11 + 21) / 82,500, subject to a max of 100]	.00	5			
[Enres (11 · 21) / 02,000, subject to a max or 100]					

a Maximum value applies to waste characteristics category.

60.

b Maximum value not applicable.

c No specific maximum value applies to factor. However, pathway score based solely on terrestrial sensitive environments is limited to maximum of

d Do not round to the nearest integer.